

Brand	Model	Device	LTE	SIM Card Size	Tethering	Antenna Indicator	Voice Call	Version	Settings
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. Check with Model #A1779 If a SIM strictly applied for data is used, then by enabling VoLTE, only in the LTE are the antenna signal will be shown. If you enter a 3G zone, the antenna signal will not be shown.	iPhone 7 SIM free version	○	nanoSIM	○	○	☉	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. Check with Model #A1785 If a SIM strictly applied for data is used, then by enabling VoLTE, only in the LTE are the antenna signal will be shown. If you enter a 3G zone, the antenna signal will not be shown.	iPhone 7 Plus SIM Free Version	○	nanoSIM	○	○	☉	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. Check with Model #A1723 If a SIM strictly applied for data is used, then by enabling VoLTE, only in the LTE are the antenna signal will be shown. If you enter a 3G zone, the antenna signal will not be shown.	iPhone SE SIM Free Version	○	nanoSIM	○	○	☉	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. Check with Model #A1688 If a SIM strictly applied for data is used, then by enabling VoLTE, only in the LTE are the antenna signal will be shown. If you enter a 3G zone, the antenna signal will not be shown.	iPhone 6s SIM free version/docomo version	○	nanoSIM	○	○	☉	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. Check with Model #A1687 If a SIM strictly applied for data is used, then by enabling VoLTE, only in the LTE are the antenna signal will be shown. If you enter a 3G zone, the antenna signal will not be shown.	iPhone 6s Plus SIM free version/docomo version	○	nanoSIM	○	○	☉	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. Check with Model #A1586 If a SIM strictly applied for data is used, then by enabling VoLTE, only in the LTE are the antenna signal will be shown. If you enter a 3G zone, the antenna signal will not be shown.	iPhone 6 SIM free version/docomo version	○	nanoSIM	○	○	☉	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. Check with Model #A1524 If a SIM strictly applied for data is used, then by enabling VoLTE, only in the LTE are the antenna signal will be shown. If you enter a 3G zone, the antenna signal will not be shown.	iPhone 6 Plus SIM free version/docomo version	○	nanoSIM	○	○	☉	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. Check with Model #A1453	iPhone 5s SIM free version/docomo version	○	nanoSIM	○	△	☉	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. Check with Model #A1456	iPhone 5c SIM free version/docomo version	○	nanoSIM	○	△	☉	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Smartphone In the settings for APN, configuring a profile installation will be necessary. 「Settings」-「Mobile Router Communications」-「Communication Options」-「Voice Communication and Data」is 「3G」the choose 「4G」 #Check with Model #A1429(GSM)	iPhone 5 SIM free version	○	nanoSIM	○	△	☉	iOS 10.0.2 (14A456)	Settings Manual
Apple	Tablet ※SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1674	9.7inch iPad Pro SIM free version	○	nanoSIM	○	○	—	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1652	12.9 inch iPad Pro SIM free version	○	nanoSIM	○	○	—	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1550	iPad mini 4 SIM free version/docomo version	○	nanoSIM	○	○	—	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1600	iPad mini 3 SIM free version	○	nanoSIM	○	○	—	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1567	iPad Air 2 SIM free version	○	nanoSIM	○	○	—	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1490	iPad mini 2 SIMfree version/docomo version	○	nanoSIM	○	○	—	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1475	iPad Air SIM free version /docomo version	○	nanoSIM	○	○	—	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1460	iPad4th generation) SIM free version	○	nanoSIM	○	○	—	iOS 10.0.2 (14A456)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1455	iPad mini SIM free version	○	nanoSIM	○	○	—	iOS 9.3.5 (13G36)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile Check with Model #A1430	iPad(3rd generation) sim free version	×	nanoSIM	○	○	—	iOS 9.3.5 (13G36)	APN Configuration Profile
Apple	Tablet SMS sending not applicable, For APN setup, please use the configuration profile	iPad 2 SIM free version		nanoSIM	—	△	—	iOS 9.3.5 (13G36)	APN Configuration Profile
Apple	The signal bar shows out of service, but communication will be available Tablet SMS sending not applicable,	iPad(1st generation) SIM free version		microSIM	—	△	—		Settings Manual

Acer	Smartphone	Liquid Z530		○	microSIM	○	○	⊗	Acer_AV0L0_Z530_1.018.00_JPN_CUS15	APN Settings
ASUS	Smartphone There are 2 SIM slots but you cannot use them at the same time	ZenFone Go ZB551KL		○	microSIM/microSIM	○	○	⊗	LMY47V_JP_Phone-13.2.3.44-20160310	APN Settings
ASUS	Smartphone There are 2 SIM slots but you cannot use them at the same time	ZenFone Max ZC550KL		○	microSIM/microSIM	○	○	⊗	MMB29P_JP_Phone-13.8.26.43-20160803 060020723_201603020037	APN Settings
ASUS	Smartphone There are 2 SIM slots but you cannot use them at the same time	ZenFone Selfie ZD551KL		○	microSIM/microSIM	○	○	⊗	LRX22G_JP_user.1.11.40.302_20150819	APN Settings
ASUS	Smartphone There are 2 SIM slots but you cannot use them at the same time	ZenFone 2 Laser ZE500KL		○	microSIM/microSIM	○	○	⊗	MMB29P_JP_Phone-13.10.10.34-20160715 060020705_201602050034	APN Settings
ASUS	Smartphone In Japan only 1 SIM slot is able to be used. If the communication is unstable, then delete all the APN besides the selected Genki Mobile APN.	ZenFone 2 ZE551ML		○	microSIM	○	○	⊗	LRX21V_JP-ASUS_Z00A- 2.15.40.8.20150421_8594_user04030427_201501060109002000400001	APN Settings
ASUS	Smartphone	ZenFone 5 LTE A500KL		○	microSIM	○	○	⊗	KOT49H_JP-Phone-11.4.6.68-20140926 044000274_201406050026	APN Settings
ASUS	Tablet	ZenPad 8.0 Z380KL		○	microSIM	○	○	⊗	JP_V4.0.4.20150714	APN Settings
ASUS	Tablet	ZenPad 10 Z300CL		○	microSIM	○	○	—	LRX22C_WW_epad-12.14.4.19-20150706 044030516_201505150118 0110000100001	APN Settings
ASUS	Tablet	MeMO Pad 7 ME572CL		○	microSIM	○	○	—	KYT49L_JP_epad-11.8.3.30-20141209release-keys044000309_201407240016	APN Settings
ASUS	Tablet	ASUS Fonepad 7 LTE ME372CL		○	microSIM	○	○	⊗	JSS15Q_JP_FonePad-V3.0.7-20140411 020176_201401140002	APN Settings
ASUS	Tablet	Fonepad Note 6		○	microSIM	○	○	⊗	JDQ39_JP_fonepad-10.16.1.37.2-20140117000059_201307310000	APN Settings
ASUS	Tablet	Fonepad 7		○	microSIM	○	△	○	JDQ39_JP_epad-V3.2.4-20131016 000053_201307241030	APN Settings
ASUS	Tablet In APN settings, when switching from APN Protocol to IPv4/IPv6 there may be unstable, so set it at IPv4 and use.	Nexus 7 (2013)		○	microSIM	○	○	—	MMB29Q	Settings Manual
ASUS	Tablet	Fonepad ME371MG		○	microSIM	○	○	○	JZ054K_JP_epad-V3.1.15-20130402	APN Settings
ASUS	Smartphone Tablet	PadFone 2		○	microSIM	○	○	○	IMM76L_JP_PadFone-9.8.8.65-0	APN Settings
ASUS	Tablet Check with model #370TG	Nexus 7		○	microSIM	—	○	—	LMY47V	APN Settings
Dell	Tablet	Venue 11 Pro 7140		○	microSIM	○	○	—	Windows 8.1 Pro	APN Settings
Dell	Tablet	Venue 8 Pro		○	microSIM	○	○	—	Windows 8.1 Pro	APN Settings
Dell	Tablet	Venue 11 Pro		○	microSIM	○	○	—	Windows 8.1 Pro	APN Settings
HUAWEI	Smartphone	P9 EVA-L09		○	nano SIM	○	○	⊗	EVA-L09C635B180	APN Settings
HUAWEI	Smartphone There are 2 SIM slots but you cannot use them at the same time	P9 lite VNS-L22		○	nanoSIM/nanoSIM	○	○	⊗	VNS-L22C635B104	APN Settings
HUAWEI	Smartphone	GR5 KI-L22		○	microSIM	○	○	⊗	KI-L22C635B131	APN Settings
HUAWEI	Smartphone VoLTE / High volume communication is not available	Nexus 6P		○	nanoSIM	○	○	⊗	NRD90U	APN Settings
HUAWEI	Smartphone Slot 1(microSIM)/Slot2(nanoSIM)both slots are available, but cannot use at the same time. With no SIM change, from settings [LTE/3G/GSM] if GSM is possible	P8lite ALE-L02		○	microSIM/nanoSIM	○	○	⊗	ALE-L02C635B560	APN Settings
HUAWEI	Smartphone In APN settings, the beginning settings select [Genki Mobile]. When setting APN manually, in [APN type] type in [default, suppl]	Ascend G620S		○	microSIM	○	○	⊗	G620S-L02V100R001C635B246	APN Settings
HUAWEI	Smartphone	Ascend Mate7		○	microSIM	○	○	⊗	M77-J1V100R001C00B126SP08	APN Settings
HUAWEI	Smartphone	Ascend P7		○	microSIM	○	○	⊗	P7-L10V100R001C00B126	APN Settings
HUAWEI	Smartphone	Ascend G6		○	microSIM	○	○	⊗	G6-L22V100R001C635B117	APN Settings
HUAWEI	Smartphone	Ascend D2 HW-03E		○	microSIM	x	○	○	4.1.1304221	APN Settings
HUAWEI	Smartphone	Ascend HW-01E		○	microSIM	x	○	○	4.0.1210111	APN Settings
HUAWEI	Tablet When setting APN, in [APN Protocol] select [IPv4/IPv6] which will enable IPv6 communication to work.	dtac Compact d-02H		○	microSIM	x	○	—	16012002	APN Settings
HUAWEI	Tablet	MediaPad T1 8.0		x	microSIM	○	○	⊗	S8-702qV100R001C380B006	APN Settings
HUAWEI	Tablet	MediaPad 7 X1 7.0		○	microSIM	○	○	⊗	7D-504LV100R001C229B007	APN Settings
HUAWEI	Tablet	MediaPad M1 8.0		○	microSIM	○	○	⊗	S8-304LV100R001C229B005	APN Settings
HUAWEI	Tablet	MediaPad 7 Lite		○	Standard SIM	○	○	—	S7-931uV100R001C229B002	APN Settings
HUAWEI	Mobile Router	Mobile WiFi E5377		○	Standard SIM	○	○	—	21.295.03.01.1283	APN Settings
Lenovo	Tablet	YOGA Tab 3 8 YT3-850L		○	microSIM	○	○	—	YT3-850L_S000024_151016_ROW	APN Settings
Lenovo	Tablet	YOGA Tab 3 10 YT3-X50L		○	microSIM	○	○	—	YT3-X50L_S000017_151002_ROW	APN Settings
Lenovo	Tablet	YOGA Tablet 2-10 with Windows		○	microSIM	○	○	—	Windows 8.1 with Bing	APN Settings
Lenovo	Tablet	YOGA Tablet 2 8		○	microSIM	○	○	—	YOGA Tablet 2-830L_S000075_141105	APN Settings
Lenovo	Tablet	YOGA Tablet 2 10		○	microSIM	○	○	—	YOGATablet2-1050L_S000074_141105	APN Settings
Lenovo	Tablet Please insert SIM card	YOGA Tablet 8		○	microSIM	○	○	—	B6000_A422.000.51_131129_JP_3GDATA	APN Settings
LG Electronics	Smartphone	Nexus 5X		○	nano SIM	○	○	⊗	NRD90M	APN Settings
LG Electronics	Smartphone	G2 mini		○	microSIM	○	○	⊗	KOT49L.A1405756352	APN Settings
LG Electronics	Smartphone	Optimus it L-05E		○	microSIM	x	○	○	JDQ39	APN Settings
LG Electronics	Smartphone	Optimus LIFE L-02E		○	microSIM	x	○	○	IMM76L	APN Settings
LG Electronics	Smartphone	Optimus G L-01E		○	microSIM	x	○	○	IMM76L	APN Settings
LG Electronics	Smartphone	Optimus bright L-07C		○	Standard SIM	x	○	○		APN Settings
LG Electronics	Smartphone	Optimus Vu L-06D		○	microSIM	x	○	○	IMM76D	APN Settings
LG Electronics	Smartphone	Optimus it L-05D		○	microSIM	x	○	○		APN Settings

LG Electronics	Smartphone	PRADA phone by LG L-02D		Standard SIM	x	○	○		APN Settings
LG Electronics	Smartphone	Optimus LTE L-01D	○	Standard SIM	x	○	○		APN Settings
LG Electronics	Smartphone	Optimus chat L-04C		Standard SIM	x	○	○		APN Settings
LG Electronics	Tablet	Optimus Pad L-06C		Standard SIM	x	○	—		APN Settings
LG Electronics	Mobile Router <small>Sign in information is [PAP] / CHAP.]</small>	L-03E	○	microSIM	○	○	—	V10a	Settings Manual
LG Electronics	Mobile Router	L-04D	○	microSIM	○	○	—		Settings Manual
LG Electronics	Mobile Router	L-09C	○	Standard SIM	○	○	—		Settings Manual
Microsoft	Tablet <small>Sign in information is [PAP] / CHAP.] APN settings not applicable, settings deleted, no communication, unstable cases happen. If so call the maker.</small>	Surface 3 (4G LTE)	○	nanoSIM	○	○	—	Windows 8.1	APN Settings
Motorola Mobility	Smartphone	Moto X Play XT1562	○	nanoSIM	○	○	⊗	LPD23.118-22	APN Settings
Motorola Mobility	Smartphone	Moto G XT1550	○	microSIM	○	○	⊗	LPI23.72-47.4	APN Settings
Motorola Mobility	Smartphone <small>For Android 5, IPv6 compatible Genki Mobile APN is communication is available. If the communication is unstable, then delete all the APN besides the selected Genki Mobile APN.</small>	Nexus 6	○	nanoSIM	○	○	⊗	NBD90Z	APN Settings
NEC Platforms	Mobile Router <small>Slot 1(microSIM)/Slot2(nanoSIM)both slots are available, but cannot use at the same time. No SIM replacement is needed for SIM change.</small>	Aterm MR05LN	○	nanoSIM	○	○	—	1.0.0	APN Settings
NEC Platforms	Mobile Router <small>Slot 1(microSIM)/Slot2(nanoSIM)both slots are available, but cannot use at the same time. No SIM replacement is needed for SIM change.</small>	Aterm MR04LN AB	○	microSIM	○	○	—	1.0.0	APN Settings
NEC Platforms	Mobile Router <small>Slot 1(microSIM)/Slot2(nanoSIM)both slots are available, but cannot use at the same time. No SIM replacement is needed for SIM change.</small>	Aterm MR04LN	○	microSIM	○	○	—	1.0.0	APN Settings
NEC Platforms	Mobile Router	Aterm MR03LN AB	○	microSIM	○	○	—	2.1.1	APN Settings
NEC Platforms	Mobile Router	Aterm MR03LN	○	microSIM	○	○	—	1.0.0	Settings Manual
NEC Platforms	Mobile Router <small>IPv6 connection not applicable</small>	Aterm MR02LN	○	microSIM	○	○	—	0.0.30	APN Settings
NEC Platforms	Mobile Router	Aterm MR01LN	○	Standard SIM	○	○	—		APN Settings
NETGEAR	Mobile Router	AirCard 785	○	microSIM	○	○	—	NTG9X25A.02.14.04.06	APN Settings
SAMSUNG	Smartphone	Galaxy S6 SC-05G	○	nanoSIM	x	○	⊗	LRX22G.SC05GOMU1AOD2	APN Settings
SAMSUNG	Smartphone	Galaxy S6 edge SC-04G	○	nanoSIM	x	○	⊗	LRX22G.SC04GOMU1AOD2	APN Settings
SAMSUNG	Smartphone	GALAXY S5 SC-04F	○	microSIM	x	○	⊗	KOT49H.SC04FOMU1VNF9	APN Settings
SAMSUNG	Smartphone	GALAXY Note 3 SC-01F	○	microSIM	x	○	○	JSS15J.SC01FOMUBMF	APN Settings
SAMSUNG	Smartphone	GALAXY S4 SC-04E	○	microSIM	x	○	○	JDQ39.SC04EOMUAMD1	APN Settings
SAMSUNG	Smartphone	GALAXY S III α SC-03E	○	microSIM	x	○	○	JR003C.SC03EOMAMA6	APN Settings
SAMSUNG	Smartphone	GALAXY Note II SC-02E	○	microSIM	x	○	○	JR003C.SC02EOMALJF	APN Settings
SAMSUNG	Smartphone	GALAXY Note SC-05D	○	microSIM	x	○	○		APN Settings
SAMSUNG	Smartphone	GALAXY NEXUS SC-04D		Standard SIM	x	△	○		APN Settings
SAMSUNG	Smartphone	GALAXY S II LTE SC-03D	○	Standard SIM	x	○	○		APN Settings
SAMSUNG	Smartphone	GALAXY S II SC-02C		Standard SIM	x	○	○		APN Settings
SAMSUNG	Smartphone	GALAXY S SC-02B		Standard SIM	x	○	○		APN Settings
SAMSUNG	Tablet	GALAXY Tab 7.7 Plus SC-01E	○	microSIM	x	○	—	IMM76D.SC01EOMALJ3	APN Settings
SAMSUNG	Tablet	GALAXY Tab 7.0 Plus SC-02D		Standard SIM	x	○	○		APN Settings
SAMSUNG	Tablet	GALAXY Tab 10.1 LTE SC-01D	○	Standard SIM	x	○	—		APN Settings
SAMSUNG	Tablet	GALAXY Tab SC-01C		Standard SIM	x	○	○		APN Settings
SHARP	Robot <small>VoLTE/English volume communication allowed, SMS cannot.</small>	RoBoHoN SR01MW	○	nanoSIM	—	○	⊗	01.00.01	APN Settings
SHARP	Smartphone <small>If using IPv6, APN Protocol is [IPv4, IPv6] and not [IPv6] option.</small>	AQUOS SH-M02	○	nanoSIM	○	○	⊗	01.00.01	APN Settings
SHARP	Smartphone	AQUOS ZETA SH-04F	○	microSIM	x	○	⊗	01.01.02	APN Settings
SHARP	Smartphone	AQUOS PHONE si SH-07E	○	microSIM	x	○	○	01.00.01	APN Settings
SHARP	Smartphone	AQUOS PHONE ZETA SH-06E	○	microSIM	x	○	○	01.00.01	APN Settings
SHARP	Smartphone	AQUOS PHONE EX SH-04E	○	microSIM	x	○	○	01.00.01	APN Settings
SHARP	Smartphone	AQUOS PHONE ZETA SH-02E	○	microSIM	x	○	○	01.00.05	APN Settings
SHARP	Smartphone	AQUOS PHONE si SH-01E	○	microSIM	x	○	○	01.00.00	APN Settings
SHARP	Smartphone	AQUOS PHONE sv SH-10D	○	microSIM	x	○	○	01.00.00	APN Settings
SHARP	Smartphone	AQUOS PHONE st SH-07D		microSIM	x	○	○		APN Settings
SHARP	Smartphone	AQUOS PHONE slider SH-02D		microSIM	x	○	○		APN Settings
SHARP	Smartphone	AQUOS PHONE ZETA SH-09D	○	microSIM	x	○	○		APN Settings
SHARP	Smartphone	AQUOS PHONE SH-06D		microSIM	x	○	○		APN Settings
SHARP	Smartphone	AQUOS PHONE SH-01D		microSIM	x	○	○	02.00.05	APN Settings
SHARP	Smartphone	AQUOS PHONE f SH-13C		microSIM	x	○	○		APN Settings
SHARP	Smartphone	AQUOS PHONE SH-12C		Standard SIM	x	○	○		APN Settings
SHARP	Smartphone	LYNX 3D SH-03C		Standard SIM	x	○	○		APN Settings
SHARP	Smartphone	LYNX SH-10B		Standard SIM	x	○	○	01.00.08	APN Settings
SHARP	Tablet	AQUOS PAD SH-08E	○	microSIM	x	○	○	01.00.03	APN Settings

SONY	Tablet	Sony Tablet P		Standard SIM	—	○	—		APN Settings
SONY	Tablet	Sony Tablet S		Standard SIM	—	△	—		APN Settings
ZTE	Smartphone There are 2 SIM slots but you cannot use them at the same time	AXON Mini	○	nanoSIM/nanoSIM	○	○	⊗	ZTE B2016V1.0.0B04	APN Settings
ZTE	Smartphone There are 2 SIM slots but you cannot use them at the same time	Blade S7	○	microSIM/nanoSIM	○	○	⊗	Blade_S7.EIYV1.0.0B02	APN Settings
ZTE	Smartphone There are 2 SIM slots but nanoSIM slot cannot be used in Japanese. Please use microSIM.	Blade V6	○	microSIM	○	○	⊗	QD_JP_B16819D_P635A20V1.0.0	APN Settings
ZTE	Mobile router	MFB8N	○	microSIM	○	○	—	BD_F5SMF98NV1.0.0B09	APN Settings
Y Mobile	Mobile router	Pocket WiFi (GP02)		Standard SIM	○	○	—		APN Settings
Y Mobile	Mobile router	Pocket WiFi (GP01)		Standard SIM	○	○	—		APN Settings
sony Mobile Communicatio	Smartphone	Xperia J1 Compact	○	microSIM	○	○	⊗	14.4.C.0.114	APN Settings
sony Mobile Communicatio	Smartphone	Xperia Z3 Compact SO-02G	○	nanoSIM	x	○	⊗	23.0.B.1.13	APN Settings
sony Mobile Communicatio	Smartphone	Xperia Z2 SO-03F	○	microSIM	x	○	⊗	17.1.1.B.2.73	APN Settings
sony Mobile Communicatio	Smartphone	Xperia A2 SO-04F	○	microSIM	x	○	○	14.3B.0.279	APN Settings
sony Mobile Communicatio	Smartphone	Xperia Z1 f SO-02F	○	microSIM	x	○	○	14.1.H.2.119	APN Settings
sony Mobile Communicatio	Smartphone	Xperia A SO-04E	○	microSIM	x	○	○	10.1.1.D.0.179	APN Settings
sony Mobile Communicatio	Smartphone	Xperia Z SO-02E	○	microSIM	x	○	○	10.1.D.0.317	APN Settings
sony Mobile Communicatio	Smartphone	Xperia AX SO-01E	○	microSIM	x	○	○	9.0.G.0.238	APN Settings
sony Mobile Communicatio	Smartphone	Xperia SX SO-05D	○	microSIM	x	○	○		APN Settings
sony Mobile Communicatio	Smartphone	Xperia GX SO-04D	○	microSIM	x	○	○		APN Settings
sony Mobile Communicatio	Smartphone	Xperia NX SO-02D	○	microSIM	x	○	○		APN Settings
sony Mobile Communicatio	Smartphone	Xperia PLAY SO-01D		Standard SIM	x	○	○		APN Settings
sony Mobile Communicatio	Smartphone	Xperia acro HD SO-03D		Standard SIM	x	○	○		APN Settings
sony Mobile Communicatio	Smartphone	Xperia ray SO-03C		Standard SIM	x	○	○		APN Settings
sony Mobile Communicatio	Smartphone	Xperia acro SO-02C		Standard SIM	x	○	○		APN Settings
sony Mobile Communicatio	Smartphone	Xperia arc SO-01C		Standard SIM	x	○	○		APN Settings
sony Mobile Communicatio	Smartphone	Sony Ericsson mini S515E		Standard SIM	○	△	○		APN Settings
sony Mobile Communicatio	Smartphone	Xperia SO-01B		Standard SIM	x	○	○		APN Settings
sony Mobile Communicatio	Tablet	Xperia Tablet Z SO-03E	○	microSIM	x	○	—	10.1.E.0.305	APN Settings
Fujitsu	Smartphone Mobile Suica applicable	arrows M03	○	nanoSIM	○	○	○	V02R038C	APN Settings
Fujitsu	Smartphone Mobile Suica applicable	arrows M02	○	nanoSIM	○	○	○	V01R028A	APN Settings
Fujitsu	Smartphone	ARROWS M01	○	microSIM	○	○	○	V02R10A	APN Settings
Fujitsu	Smartphone	ARROWS NX F-01F	○	microSIM	x	○	○	V30R81B	APN Settings
Fujitsu	Smartphone	ARROWS NX F-06E	○	microSIM	x	○	○	V19R47F	APN Settings
Fujitsu	Smartphone	ARROWS Kiss F-03E	○	microSIM	x	○	○	V17R26B	APN Settings
Fujitsu	Smartphone	ARROWS X F-02E	○	microSIM	x	○	○	V16R46A	APN Settings
Fujitsu	Smartphone	ARROWS Me F-11D		microSIM	x	○	○	V21R36A	APN Settings
Fujitsu	Smartphone	らくらくスマートフォン F-12D		microSIM	x	○	○	1004.0101.52	APN Settings
Fujitsu	Smartphone	ARROWS μ F-04E	○	microSIM	x	○	○	V10R27E	APN Settings
Fujitsu	Smartphone	Disney Mobile on docomo F-08D		microSIM	x	○	○		APN Settings
Fujitsu	Smartphone	REGZA Phone T-02D	○	microSIM	x	○	○	V15R47B	APN Settings
Fujitsu	Smartphone	ARROWS μ F-07D		microSIM	x	○	○		APN Settings
Fujitsu	Smartphone	F-03D Girls'		microSIM	x	○	○		APN Settings
Fujitsu	Smartphone	F-09D ANTEPRIMA		microSIM	x	○	○		APN Settings
Fujitsu	Smartphone	ARROWS X F-10D	○	microSIM	x	○	○		APN Settings
Fujitsu	Smartphone	ARROWS X LTE F-05D	○	microSIM	x	○	⊗	V13R42C	APN Settings
Fujitsu	Smartphone	F-12C		Standard SIM	x	○	○		APN Settings
Fujitsu	Tablet	ARROWS Tab F-05E	○	microSIM	x	○	—		APN Settings
Fujitsu	Tablet	ARROWS Tab LTE F-01D	○	microSIM	x	○	—	V10R32D	APN Settings
NTTDocomo	Mobile Router Can be checked from the signal bar menu	BF-01D	○	Standard SIM	○	○	—		APN Settings
NTTDocomo	Mobile Router	モバイルWi-Fiルーター HW-01C		Standard SIM	○	○	—		APN Settings
NTTDocomo	Mobile Router Can be checked from the signal bar menu	モバイルWi-Fiルーター BF-01B		Standard SIM	○	○	—		APN Settings
SONY	Computer VGN-Z1AJ movement confirmation	VAIO シンコース 無線WAN/LTE搭載モデル	○	Standard SIM	○	○	—		APN Settings
SONY	Computer VGN-Z92JS movement confirmation	VAIO type Z ワイヤレスWAN(FOMA)搭載モデル		Standard SIM			—		APN Settings
VAIO	Smartphone	VAIO Phone Biz VPB051	○	microSIM/nanoSIM	○	○	⊗	10.0.10586.107	APN Settings
VAIO	Computer APN settings / username / password / price list input.	VAIO S11	○	microSIM	○	○	—	10.0.10240	APN Settings